



ADDENDUM No. 2

Project: 2018 Athletic Improvement Project
Brownstown Central High School

Brownstown, Indiana

Proj. No: 1741.01

Date: February 22, 2018

This addendum is a part of the bid documents. Acknowledge receipt on the Proposal Form.

General

1. Notify Matt Gullo of any questions regarding bidding at phone (812-913-4616) or email (matt.gullo@koverthawkins.com).

Specifications

Index-2

- Division 7 – Section 07536: Remove the word “Hypalon”

Section 02720 (Site Drainage)

- Paragraph 2.01.A – add the following acceptable manufacturers
7. “Fratco, Inc.”.
- Paragraph 2.02.A – add the following acceptable manufacturers
d. “Fratco, Inc.”; XD Type C-CP.
- Paragraph 2.02.C – add the following acceptable manufacturers
d. “Fratco, Inc.”; XD Type S-SP.
- Paragraph 2.02.E – add the following acceptable manufacturers
c. “Harco”; Surface Drainage Structures.
- Paragraph 2.02.F – add the following acceptable manufacturers
d. “Harco”; Grates and Covers.

Section 02535 (Athletic Track Latex Surface)

- Paragraph 2.01 – add the following acceptable manufacturers
C. “Midwest Track Builders” Seal-Flex CR-4.

Section 07420 (Composite Metal Panels)

- Paragraph 2.01.A – add the following acceptable manufacturers
7. “Alucoil”, Larson 4 mm PE.

Specification 07536 (Thermoplastic Sheet Roofing System)

- Paragraph 2.01 – add the following acceptable manufacturers
B. “FiberTite Roofing Membrane”
502-767-8435

Section 08520 (Aluminum Windows)

- Paragraph 2.01.A – add the following acceptable manufacturers
12. “Litex”, L701T Single Hung.



Drawings

Drawing A-103

- Add the following to the Light Fixture Schedule for Site Lighting
IDEN: LL-1
DESCRIPTION: LED Lot Light – 1 Head Fixture: “Lithonia”; (1) DSX2 LED-20C-1000-40K-TFTM-MVOLT-SPA-HS-DBXD (Fixture);
SSS-20-4C-DM19AS-DBL-BC (Pole); 90 mph wind rating
MOUNTING: Surface Pole
LAMPS: LED
FIX. WATT: 218 WATTS
FINISH: Black Fixture/Black Pole

Prepared by,

Matthew D. Gullo, RLA
Director of Landscape Architecture and Planning

enclosed: none

file: 1727.01

End of Addendum No. 2

