

JEFFERSONVILLE LIBRARY FURNITURE REPLACEMENT PROJECT

PROJECT MANUAL

JULY 14, 2026

OWNER : JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY

211 E. COURT AVE.
JEFFERSONVILLE, IN 47130

PROJECT NUMBER

Architect's Project No. 25196.000

**PROJECT NO. 25196.000
JEFFERSONVILLE LIBRARY – FURNITURE REPLACEMENT PROJECT
JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY**

**TABLE OF CONTENTS
00 0110 - 1
JULY 14, 2026**

TABLE OF CONTENTS

DIVISION 00 — PROCUREMENT AND CONTRACTING REQUIREMENTS

00 1000 – REQUEST FOR PROPOSAL
00 1113 – NOTICE TO BIDDERS
00 4100 – PROPOSAL FORM

DIVISION 01 — GENERAL REQUIREMENTS

01 7300 – EXECUTION
01 7700 – CLOSEOUT PROCEDURES

Request for Proposal

Jeffersonville Township Public Library: Furniture Replacement Project

REQUEST FOR PROPOSAL

The purpose of this request is to seek proposals and qualifications from candidates for furniture procurement installation at the newly renovated Jeffersonville Township Public Library.

TowerPinkster has been selected as the furniture designer and specifier on this project. We are soliciting furniture proposals as an agent for the owner.

The point of contact for all communication regarding this RFP is:

Sara Knies, Sara.Knies@TowerPinkster.com

Amanda Hunsucker, Amanda.Hunsucker@TowerPinkster.com.

GENERAL BACKGROUND

The Jeffersonville Township Public Library is currently undergoing a construction renovation. The Youth Services department, located on the 2nd floor, is being completed reconfigured and minor renovations to the 1st floor in the Program rooms and Circulation areas.

The furniture for this project will be installed in two phases.

Phase 1: 2nd Floor Youth Services Department.

Phase 2: 1st Floor

It is the intent of this RFP to hire a dealer partner that is qualified to provide furnishings of the style and quality specified herein, as well as capable of managing a phased project. Basic services and responsibilities of the vendor will include overall coordination and management of the final purchase orders and installation to meet specific schedule and cost parameters that have been established for the project.

SCOPE OF WORK

The attached furniture specifications are organized by category and are basis-of-design specifications unless noted otherwise. **Vendors shall provide pricing to furnish and install all items specified in each category. Incomplete bid submissions for a bid category will not be considered.** Comparable products will be considered but must meet product requirements and match aesthetic character of the items specified.

In addition, the following items shall be (but not limited to) included:

1. Receive and unload of all furniture,
2. All freight, shipping, handling, fuel surcharges and taxes.
 - a. The Library is Indiana Sales Tax Exempt.
3. All labor associated with work.
4. Disposal of all packaging.
5. Project Management services as outlined herein.
6. Any design and specification related to the creation of the order, a validation package and/or acceptance of comparable products.
7. Account Management,
8. Protection of all walls, floors, ceilings, case goods, furniture, equipment, etc. from damage during installation.

PROJECT SCHEDULE

PROJECT NO. 25196.000
JEFFERSONVILLE LIBRARY – FURNITURE REPLACEMENT PROJECT
JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY

REQUEST FOR PROPOSAL
00 1000 - 2
JULY 14, 2026

The following proposed schedule shall be finalized with input from the successful Dealer partner, TowerPinkster, the General Contractor, and JTPL. This is, however, the common basis for the proposals.

TASK	START DATE	END DATE	TOTAL DURATION
Substitution Requests to be submitted by 12pm EST	Tuesday <i>July 28, 2026</i>	Tuesday <i>July 28, 2026</i>	1 day
Bid Questions Due <i>to be submitted by 12pm EST</i>	Monday <i>August 3, 2026</i>	Monday <i>August 3, 2026</i>	1 day
Proposals Due <i>to be submitted by 2:00pm EST</i>	Thursday <i>August 6, 2026</i>	Thursday <i>August 6, 2026</i>	1 day
Review of Proposals	Friday <i>August 7, 2026</i>	Monday <i>August 17, 2026</i>	11 days
Bid Recommendations/Award	Tuesday <i>August 18, 2026</i>	Tuesday <i>August 18, 2026</i>	1 day
Placed Purchase Orders / Final Orders	Tuesday <i>September 1, 2026</i>	Friday <i>September 3, 2026</i>	3 days
2 nd Floor Furniture Installation (Ready for Inspection)	Monday <i>March 15, 2027</i>	Friday <i>March 26, 2027</i>	14 days
1st Floor Furniture Installation (Ready for Inspection)	Monday <i>July 1, 2027</i>	Friday <i>July 7, 2027</i>	5 days

PROPOSAL QUALIFICATIONS

Please include any additional information you feel will be helpful in the evaluation of your proposal. For areas where there is no clear definition, please state the assumptions on which your proposal is based. In the case of a discrepancy of information, the higher cost option shall be considered the base bid.

PROPOSAL FORMAT

Each Respondent is requested to present a concise, written response to the Request for Proposal and Qualifications organized in the format outlined as follows. Proposals not received in this format may be removed from further consideration.

Part 1 – General Information

- A. Firm Name and Primary Contact Person
- B. Office Address, Telephone & Fax Number
- C. Web address

Part 2 – Firm Overview

- A. Provide a brief description of the history of your company
- B. Provide references from 3 clients

Part 3 - Relevant Experience

- A. Provide a listing of the firm's experience.
- B. Provide descriptions with a photographic overview of three to five projects of similar size and scope. Indicate the project size (square feet), furniture value, team and year of completion. Also include an owner contact and telephone number.

Part 4 – Quotation

PROJECT NO. 25196.000
JEFFERSONVILLE LIBRARY – FURNITURE REPLACEMENT PROJECT
JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY

REQUEST FOR PROPOSAL
00 1000 - 3
JULY 14, 2026

Please provide the following information on your proposal for the project and attach any additional supportive information as required.

- A. Provide completed section 00 4100 Proposal Form as a summary of all Bid Category Pricing submitted.
- B. Provide itemized pricing quotation as backup information to the lump sum totals provided on 00 4100 Proposal Form.

POST-PROPOSAL

Coordination meetings with the Architect, Owner, Electrician, Technology, and AV vendors must be scheduled prior to order entry and regularly throughout the duration of the project. The awarded vendors will be responsible for creating and submitting a validation package with a final quote for order entry. The validation package should include the typical renderings, installation drawings, and physical finish samples. The final quote should include the necessary component and quantity adjustments reflected in the final furniture plan. Awarded Vendor to arrange meetings with the Owner and Architect/Designer to review the final quote and validation package prior to order placement. The Architect/Designer requires 5 business days to review the order. A final version of the validation package to be sent to the Owner and the Architect/Designer for record upon order placement.

**PROJECT NO. 25196.000
JEFFERSONVILLE LIBRARY – FURNITURE REPLACEMENT PROJECT
JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY**

**NOTICE TO BIDDERS
00 1113 - 1
JULY 14, 2026**

SECTION 00 1113 – NOTICE TO BIDDERS

BY: Jeffersonville Township Public Library
211 East Court Ave.
Jeffersonville, IN 47130

FOR: Jeffersonville Township Public Library - Furniture Replacement Package
211 East Court Ave.
Jeffersonville, IN 47130

AT: **Clarksville Library**
1312 Eastern Boulevard
Clarksville, IN 47129

UNTIL: **2:00pm, EST (project local time)**

DATE: **Thursday, August 6th**

At which time all proposals will be opened and publicly read aloud. Proposals received after the hour and date set for receiving of proposals, will be returned unopened.

All work will be awarded under a single Contract.

Proposals shall be submitted on the Proposal Form in full accordance with the Bid Documents.

Submit all questions and requests for substitutions to:

Sara Knies
Sara.Knies@TowerPinkster.com

Amanda Hunsucker
Amanda.Hunsucker@TowerPinkster.com

General Contractors shall certify on the Proposal Form that they have obtained a complete set of construction documents, including all Drawings, Specifications and Addenda, and have reviewed the jobsite to sufficiently familiarize themselves with the existing conditions.

Bids will be opened publicly and read aloud at this address. All bids will be evaluated at a later date. No late or e-mailed quotations will be accepted.

All bidders and plan services has free access to complete electronic Bid Documents. All Bid Documents may be downloaded free of charge in electronic format for viewing and printing. Bidders shall complete the Plan Holder List form via www.koverthawkins.com/bid-information. Upon completion of the form, bidders will be re-directed to the Project Page where all bid information may be downloaded. Any and all Addenda will be issued to registered Plan Holders.

The Architect retains all copyright to the Bid Documents, as instruments of their professional service.

Bidders, or any other persons, may not use the PDF files for any other purpose than preparing a bid for this project.

**PROJECT NO. 25196.000
JEFFERSONVILLE LIBRARY – FURNITURE REPLACEMENT PROJECT
JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY**

**NOTICE TO BIDDERS
00 1113 - 2
JULY 14, 2026**

The Owner intends to award a contract on or about August 18, 2026.

No quotes may be withdrawn for a period of 120 days after submission.

The Owner reserves the right to accept or reject any or all proposals.

The Owner reserves the right to adjust quantities by as much as 10 percent without affecting unit cost.

END OF DOCUMENT 00 1113

SECTION 00 4100 - PROPOSAL FORM

THE PROJECT AND THE PARTIES:

TO: Jeffersonville Township Public Library (JTPL)
211 East Court Ave.
Jeffersonville, IN 47130

FOR: **Jeffersonville Township Public Library – Furniture Replacement Project**

DATE: _____

SUBMITTED BY:

Bidder (Firm): _____

Agent of Bidder: _____

Address _____

City, State, and Zip _____

Phone Number _____

Email Address _____

Pursuant to notices given, the undersigned offers to furnish labor and/or material necessary to complete the public works project of Jeffersonville Township Public Library (Governmental Unit) in accordance with plans and specifications prepared by TowerPinkster for the sum of:

BASE BID

Lump Sum _____ \$ _____

ADDENDA

Acknowledges receipt of:

Addendum No. _____ () pages Dated _____

Addendum No. _____ () pages Dated _____

Addendum No. _____ () pages Dated _____

Addendum No. _____ () pages Dated _____

LIST OF PROPOSED UNIT PRICES

Furniture Dealer to submit itemized Bid that includes Unit Costs for each furniture item. Itemized unit costs can be submitted on Dealer's letterhead or separate form.

Unit prices shall include the furnishing of all labor, materials, supplies, services, and include all items of cost, overhead and profit for the Contractor and any Subcontractor involved, and shall be used uniformly without modifications, for either additions or deductions for all work performed under the contract.

NON-COLLUSION AFFIDAVIT

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale.

ACCEPTANCE

This offer shall be open to acceptance and is irrevocable for ninety days from the bid closing date. If this quote is accepted by the Owner within the time period stated above, we will:

- Issue a PO within 14 days of receipt of Notice of Award.

DISCRIMINATION

The Contractor and his subcontractors, if any, shall not discriminate against or intimidate any employee, or applicant for employment, to be employed in the performance of this contract, with respect to any matter directly or indirectly related to employment because of race, religion, color, sex, national origin or ancestry. Breach of this covenant may be regarded as a material breach of the Contract.

COMPLETION OF WORK

Undersigned guarantees, if awarded the contract, to complete the work in accordance with the scheduling and phasing requirements as set forth in Specifications Section 00 1000 Request for Proposal.

VENDOR/ DEALER CERTIFICATION

I hereby certify that we have obtained a complete set of construction documents, including all Drawings, Specifications and Addenda, and have reviewed the jobsite to sufficiently familiarize ourselves with the existing conditions.

Dated at _____ this _____ day of _____, 20____.

(Name of Organization)

BY _____

(Title of Person Signing)

OATH AND AFFIRMATION

I hereby affirm under the penalties for perjury that the facts and information contained in the foregoing bid for public works are true and correct.

Dated at _____ this _____ day of _____, 20____.

(Name of Organization)

BY _____

(Title of Person Signing)

ACKNOWLEDGEMENT

STATE OF _____

COUNTY OF _____

Before me, a Notary Public, personally appeared the above-named _____ and
(Name of Person Signing)
swore that the statements contained in the foregoing document are true and correct.

Subscribed and sworn to before me this _____ day of _____, 20 ____.

Notary Public

My Commission Expires: _____

County of Residence: _____

ACCEPTANCE

The above bid is accepted this _____ day of _____, 20 ____,

subject to the following conditions: _____

_____.

Contracting Authority Members

END OF DOCUMENT 00 4100

SECTION 01 7300 - EXECUTION

PART 1 - GENERAL

1.1 SUMMARY

- A. This Section includes general procedural requirements governing execution of the Work including, but not limited to, the following:
 - 1. General installation of products.
 - 2. Progress cleaning.
 - 3. Protection of installed construction.
 - 4. Correction of the Work.

PART 2 - PRODUCTS (Not Used)

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Existing Conditions: The existence and location of site improvements, utilities, and other construction indicated as existing are not guaranteed. Before beginning work, investigate and verify the existence and location of mechanical and electrical systems and other construction affecting the Work.
 - 1. Before construction, verify the location and points of connection of utility services.
- B. Acceptance of Conditions: Examine substrates, areas, and conditions, with Installer present where indicated, for compliance with requirements for installation tolerances and other conditions affecting performance. Record observations.
 - 1. Verify compatibility with and suitability of substrates, including compatibility with existing finishes or primers.
 - 2. Examine walls and floors for suitable conditions where products and systems are to be installed.
 - 3. Proceed with installation only after unsatisfactory conditions have been corrected. Proceeding with the Work indicates acceptance of surfaces and conditions.

3.2 PREPARATION

- A. Field Measurements: Take field measurements as required to fit the Work properly. Recheck measurements before installing each product. Where portions of the Work are indicated to fit to other construction, verify dimensions of other construction by field measurements before fabrication. Coordinate fabrication schedule with construction progress to avoid delaying the Work.
- B. Space Requirements: Verify space requirements and dimensions of items shown diagrammatically on Drawings.

- C. Review of Contract Documents and Field Conditions: Immediately on discovery of the need for clarification of the Contract Documents, submit a request for information to Architect. Include a detailed description of problem encountered, together with recommendations for changing the Contract Documents.

3.3 INSTALLATION

- A. General: Locate the Work and components of the Work accurately, in correct alignment and elevation, as indicated.
 - 1. Make vertical work plumb and make horizontal work level.
 - 2. Where space is limited, install components to maximize space available for maintenance and ease of removal for replacement.
- B. Comply with manufacturer's written instructions and recommendations for installing products in applications indicated.
- C. Install products at the time and under conditions that will ensure the best possible results. Maintain conditions required for product performance until Substantial Completion.
- D. Conduct construction operations so no part of the Work is subjected to damaging operations or loading in excess of that expected during normal conditions of occupancy.
- E. Tools and Equipment: Do not use tools or equipment that produce harmful noise levels.
- F. Anchors and Fasteners: Provide anchors and fasteners as required to anchor each component securely in place, accurately located and aligned with other portions of the Work.

3.4 PROGRESS CLEANING

- A. General: Clean Project site and work areas daily, including common areas. Dispose of materials lawfully.
 - 1. Comply with requirements in NFPA 241 for removal of combustible waste materials and debris.
 - 2. Do not hold materials more than 7 days during normal weather or 3 days if the temperature is expected to rise above 80 deg F(27 deg C).
- B. Site: Maintain Project site free of waste materials and debris.
- C. Work Areas: Clean areas where work is in progress to the level of cleanliness necessary for proper execution of the Work.
- D. Installed Work: Keep installed work clean. Clean installed surfaces according to written instructions of manufacturer or fabricator of product installed, using only cleaning materials specifically recommended. If specific cleaning materials are not recommended, use cleaning materials that are not hazardous to health or property and that will not damage exposed surfaces.
- E. Exposed Surfaces in Finished Areas: Clean exposed surfaces and protect as necessary to ensure freedom from damage and deterioration at time of Substantial Completion.
- F. Waste Disposal:

1. The Vendor will be responsible for the removal of all waste and debris from the site. A dumpster will not be provided by the Owner for Vendor use. Should the Vendor choose to provide a dumpster, they will be responsible for all fees associated with this service. Coordinate with Architect and Owner to determine a location on the site that will not interfere with other trades and ongoing construction.
- G. During handling and installation, clean and protect construction in progress and adjoining materials already in place. Apply protective covering where required to ensure protection from damage or deterioration at Substantial Completion.
- H. Clean and provide maintenance on completed construction as frequently as necessary through the remainder of the construction period. Adjust and lubricate operable components to ensure operability without damaging effects.
- I. Limiting Exposures: Supervise construction operations to assure that no part of the construction, completed or in progress, is subject to harmful, dangerous, damaging, or otherwise deleterious exposure during the construction period.

3.5 PROTECTION OF INSTALLED CONSTRUCTION

- A. Provide protective materials and take all necessary precautions to assure that surrounding construction is not damaged during furniture installation.
- B. Provide final protection and maintain conditions that ensure installed Work is without damage or deterioration at time of Substantial Completion.
- C. Comply with manufacturer's written instructions for temperature and relative humidity.

3.6 CORRECTION OF THE WORK

- A. Repair or remove and replace damaged or defective products.
 1. Repairing includes replacing defective parts, refinishing damaged surfaces, touching up with matching materials, and properly adjusting operating equipment.
- B. Remove and replace damaged surfaces that are exposed to view if surfaces cannot be repaired without visible evidence of repair.
- C. Repair components that do not operate properly. Remove and replace operating components that cannot be repaired.
- D. Remove and replace chipped, scratched, and broken glass or reflective surfaces.
- E. Should any part of the building be damaged during the course of furniture installation, coordinate with Architect, General Contractor and any affected trades to properly repair the damage. The Vendor shall be responsible for any additional costs incurred in the process of repairing the damage.

END OF SECTION 01 7300

SECTION 01 7700 - CLOSEOUT PROCEDURES

PART 1 - GENERAL

1.1 SUMMARY

- A. This Section includes administrative and procedural requirements for contract closeout, including, but not limited to, the following:
1. Inspection procedures.
 2. Warranties.
 3. Final cleaning.

1.2 SUBSTANTIAL COMPLETION

- A. Preliminary Procedures: Before requesting inspection to determine the date of Substantial Completion, complete the following. List items below that are incomplete in request.
1. Prepare a list of items to be completed and corrected (punch list), the value of items on the list, and reasons why the Work is not complete.
 2. Submit specific warranties and similar documents.
 3. Deliver tools, spare parts, extra materials, and similar items to location designated by Owner. Label with manufacturer's name and model number where applicable.
 4. Complete final cleaning requirements.
 5. Touch up and otherwise repair and restore marred exposed finishes to eliminate visual defects.
- B. Inspection: Submit a written request for inspection for Substantial Completion. On receipt of request, Architect will either proceed with inspection or notify Vendor of unfulfilled requirements. Architect will prepare the Certificate of Substantial Completion after inspection or will notify Vendor of items, either on Vendor's list or additional items identified by Architect, that must be completed or corrected before certificate will be issued.
1. Reinspection: Request reinspection when the Work identified in previous inspections as incomplete is completed or corrected.
 2. Results of completed inspection will form the basis of requirements for Final Completion.

1.3 FINAL COMPLETION

- A. Preliminary Procedures: Before requesting final inspection for determining date of Final Completion, the Vendor completes the following:
1. Submit a final Application for Payment according to Division 01 Section "Payment Procedures."
 2. Submit certified copy of Architect's Substantial Completion inspection list of items to be completed or corrected (punch list), endorsed and dated by Architect. The certified copy of the list shall state that each item has been completed or otherwise resolved for acceptance.
 3. Instruct Owner's personnel in operation, adjustment, and maintenance of products, equipment, and systems.

- B. Inspection: Submit a written request for final inspection for acceptance. On receipt of request, Architect will either proceed with inspection or notify Vendor of unfulfilled requirements. Architect will prepare a final Certificate for Payment after inspection or will notify Vendor of construction that must be completed or corrected before certificate will be issued.
 - 1. Reinspection: Request reinspection when the Work identified in previous inspections as incomplete is completed or corrected.

1.4 LIST OF INCOMPLETE ITEMS (PUNCH LIST)

- A. A list of incomplete items and items needing correction will be generated after installation is complete.
- B. Items to be corrected must be complete within 14 days of inspection with the exception of replacement items that must be ordered.

1.5 WARRANTIES

- A. Organize warranty documents into an orderly sequence based on the table of contents of the Project Manual.
 - 1. Bind warranties and bonds in heavy-duty, 3-ring, vinyl-covered, loose-leaf binders, thickness as necessary to accommodate contents, and sized to receive 8-1/2-by-11-inch paper.
 - 2. Provide heavy paper dividers with plastic-covered tabs for each separate warranty. Mark tab to identify the product or installation. Provide a typed description of the product or installation, including the name of the product and the name, address, and telephone number of Installer.
 - 3. Identify each binder on the front and spine with the typed or printed title "WARRANTIES," Project name, and name of Vendor.
- B. Provide additional copies of each warranty to include in operation and maintenance manuals.

PART 2 - PRODUCTS (Not Used)

PART 3 - EXECUTION

3.1 FINAL CLEANING

- A. General: Provide final cleaning. Conduct cleaning and waste-removal operations to comply with local laws and ordinances and Federal and local environmental and antipollution regulations.
- B. Cleaning Agents: Use cleaning materials and agents recommended by manufacturer or fabricator of the surface to be cleaned. Do not use cleaning agents that are potentially hazardous to health or property or that might damage finished surfaces or work by others under separate contract with Owner.
- C. Cleaning: Employ experienced workers or professional cleaners for final cleaning. Clean each surface or unit to condition expected in an average commercial building cleaning and maintenance program. Comply with manufacturer's written instructions.

1. Complete the following cleaning operations before requesting:
 - a. Remove tools, construction equipment, machinery, and surplus material from Project site.
 - b. Remove labels that are not permanent.
 - c. Touch up and otherwise repair and restore marred, exposed finishes and surfaces.
Replace finishes and surfaces that cannot be satisfactorily repaired or restored or that already show evidence of repair or restoration.
 - d. Replace parts subject to unusual operating conditions.
 - e. Leave Project clean and ready for occupancy.

END OF SECTION 01 7700

JULY 14, 2026 // FURNITURE CUT SHEETS

JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY

JEFFERSONVILLE LIBRARY- FURNITURE REPLACEMENT PROJECT

FURNITURE BID PACKAGE



TowerPinkster

Architecture · Engineering · Interiors



FURNITURE CUT SHEET INDEX

A

SEATING

4

B

TABLES

20

C

STORAGE

28

D

WORKSTATIONS

31

E

MISCELLANEOUS

36

F

CUSTOM COTTAGES

38

BID CATEGORY: SEATING

A1 - ERG

A2 - FOMCORE

A3 - HON

A4 - JSI

A5 - OFS

A6 - SIT ON IT

A7 - SMITH SYSTEM

A8 - TMC



TAG ID

A1.CH-1.1

MANUFACTURER: ERG

PRODUCT NAME: RAVEN SINGLE SEAT LOUNGE

SPECIFICATIONS:

- 27"W X 27"D X 33"H
- SWIVEL TABLET: TYPE A, ALMOST SQUARE.

RIGHT SIDE

- CASTERS: 3" LOCKING, SUITABLE FOR LVT FLOOR

FINISHES:

(A) UPHOLSTERY: MOMENTUM, CANTER EPU, SAND DOLLAR

(B) LAMINATE: FORMICA, BRITE WHITE, 459-58



TAG ID

A1.CH-1.2

MANUFACTURER: ERG

PRODUCT NAME: RAVEN SINGLE SEAT LOUNGE

SPECIFICATIONS:

- 27"W X 27"D X 33"H
- SWIVEL TABLET: TYPE A, ALMOST SQUARE. LEFT SIDE

LEFT SIDE

- CASTERS: 3" LOCKING, SUITABLE FOR LVT FLOOR

FINISHES:

(A) UPHOLSTERY: MOMENTUM, CANTER EPU, SAND DOLLAR

(B) LAMINATE: FORMICA, BRITE WHITE, 459-58



A2.CH-1._**MANUFACTURER:** FOMCORE**PRODUCT NAME:** MEDIUM GEAR**SPECIFICATIONS:**

- 38" DIA.
- 18" SEAT HEIGHT
- FELT GLIDE FOR LVT FLOOR

FINISHES:

(A) FABRIC: SEE CHART BELOW

TAG

CH-1.1

CH-1.2

TYPE

SPRADLING, SILVERTEX NEO. BRONZE

SPRADLING, SILVERTEX NEO. PLATA

**A2.CH-2._****MANUFACTURER:** FOMCORE**PRODUCT NAME:** SMALL GEAR**SPECIFICATIONS:**

- 24" DIA.
- 18" SEAT HEIGHT
- FELT GLIDE FOR LVT FLOOR

FINISHES:

(A) FABRIC: SEE CHART BELOW

TAG

CH-2.1

CH-2.2

TYPE

SPRADLING, SILVERTEX NEO. BRONZE

SPRADLING, SILVERTEX NEO. PLATA



TAG ID

A2.CH-3

MANUFACTURER: FOMCORE

PRODUCT NAME: HEMISPHERE OTTOMAN

SPECIFICATIONS:

- 25"DIA. X 14"H
- FULLY ZIPPERED
- FELT GLIDE

FINISHES:

[A] UPHOLSTERY: SPRADLING, SILVERTEX NEO. ACID
STX-8834



TAG ID

A2.CH-4

MANUFACTURER: FOMCORE

PRODUCT NAME: HEMISPHERE OTTOMAN

SPECIFICATIONS:

- 17"DIA. X 10"H
- FULLY ZIPPERED
- FELT GLIDE

FINISHES:

[A] UPHOLSTERY: SPRADLING, SILVERTEX NEI. ACID
STX-8834



A2.CH-5.1**MANUFACTURER:** FOMCORE**PRODUCT NAME:** ROCK'N ROLLER**SPECIFICATIONS:**

- 24 1/2"L X 31 1/2"D X 32"H
- 18" SEAT HEIGHT
- FULLY ZIPPERED

FINISHES:

[A] SEAT UPHOLSTERY: SPRADLING, SILVERTEX NEO. SUMAC

[B] BACK UPHOLSTERY: SPRADLING, CHAMBRAY
CHA-1531 BRIQUETTE**A2.CH-5.2****MANUFACTURER:** FOMCORE**PRODUCT NAME:** ROCK'N ROLLER**SPECIFICATIONS:**

- 24 1/2"L X 31 1/2"D X 32"H
- 18" SEAT HEIGHT
- FULLY ZIPPERED

FINISHES:

[A] SEAT UPHOLSTERY: SPARADLING, SILVERTEX NEO. CANYON

[B] BACK UPHOLSTERY: SPRADLING, CHAMBRAY
CHA-1531 BRIQUETTE

MANUFACTURER: FOMCORE**PRODUCT NAME:** ROK DROP**SPECIFICATIONS:**

- 18"DIA.
- 18" SEAT HEIGHT
- FULLY ZIPPERED

FINISHES:[A] TOP UPHOLSTERY: SPRADLING, SILVERTEX NEO.
SUMAC[B] SIDE UPHOLSTERY: SPRADLING, CHAMBRAY
CHA-1531 BRIQUETTE**A2.CH-6.1****MANUFACTURER:** FOMCORE**PRODUCT NAME:** ROK DROP**SPECIFICATIONS:**

- 18"DIA.
- 18" SEAT HEIGHT
- FULLY ZIPPERED

FINISHES:[A] TOP UPHOLSTERY: SPRADLING, SILVERTEX NEO.
CANYON[B] SIDE UPHOLSTERY: SPRADLING, CHAMBRAY
CHA-1531 BRIQUETTE**A2.CH-6.2**

A3.CH-1**MANUFACTURER:** HON**PRODUCT NAME:** FLOCK GUEST CHAIR, 4 LEG**SPECIFICATIONS:**

- 19"L X 23 5/16"W X 32 1/2"H
- 18 1/4" SEAT HEIGHT

FINISHES:

[A] UPHOLSTERY: COMPASS, STERLING COMP19

[B] LEGS METAL: CHARCOAL

**A3.CH-2****MANUFACTURER:** HON**PRODUCT NAME:** IGNITION TASK 2.0 CHAIR**SPECIFICATIONS:**

- MID BACK
- FULLY UPHOLSTERED
- ARMS: HEIGHT AND WIDTH ADJUSTABLE
- CASTERS FOR LVT FLOORING
- NO LUMBAR
- SYNCRO TILT

FINISHES:

[A] UPHOLSTERY: CONTOURETT, GRAPHITE UR19

[B] FRAME: BLACK

[C] BASE TYPE: STANDARD



A3.CH-3**MANUFACTURER:** HON**PRODUCT NAME:** IGNITION TASK 2.0 CHAIR**SPECIFICATIONS:**

- MID BACK
- FULLY UPHOLSTERED
- ARMLESS
- CASTERS FOR LVT FLOORING
- NO LUMBAR
- SYNCRO TILT

FINISHES:

[A] UPHOLSTERY: CONTOURETT, GRAPHITE UR19

[B] FRAME: BLACK

[C] BASE TYPE: STANDARD

**A3.CH-4_****MANUFACTURER:** HON**PRODUCT NAME:** IGNITION TASK 2.0 CHAIR**SPECIFICATIONS:**

- MID BACK
- SEAT: UPHOLSTERED
- BACK: MESH
- ARMS: HEIGHT AND WIDTH ADJUSTABLE
- ADJUSTABLE LUMBAR
- SYNCRO TILT

FINISHES:

[A] BACK MESH: IC CHARCOAL

[B] SEAT UPHOLSTERY: CONTOURETT, GRAPHITE UR19

[C] FRAME: BLACK

[D] BASE TYPE: STANDARD

[E]: LUMBAR: BLACK

**TAG**

CH-4.1

CH-4.2

TYPE

HARD CASTERS FOR CARPET FLOORING

SOFT CASTERS FOR LVT FLOORING

MANUFACTURER: HON

PRODUCT NAME: IGNITION TASK 2.0 CHAIR

SPECIFICATIONS:

- MID BACK
- SEAT: UPHOLSTERED
- BACK: MESH
- ARMLESS
- ADJUSTABLE LUMBAR
- SYNCRO TILT
- CASTERS FOR LVT FLOORING

FINISHES:

[A] BACK MESH: IC CHARCOAL

[B] SEAT UPHOLSTERY: CONTOURETT, GRAPHITE
UR19

[C] FRAME: BLACK

[D] BASE TYPE: STANDARD

[E] LUMBAR: BLACK



A4.CH-1**MANUFACTURER:** JSI**PRODUCT NAME:** HARBOR CLUB CHAIR**SPECIFICATIONS:**

- 30 1/2"D X 28 1/2"W X 34 1/2"H
- 17 1/2" SEAT HEIGHT
- UPHOLSTERED SEAT AND BACK, WOOD LEGS
- RUBBER CUSHION NYLON GLIDES

FINISHES:

[A] UPHOLSTERY: MOMENTUM, TERRA LEATHER, EVERGREEN

[B] WOOD BASE/ ARM: UMBER [UMB]

**A4.CH-2****MANUFACTURER:** JSI

PRODUCT NAME: JUDE ARMLESS GUEST CHAIR
WITH PLASTIC SEAT AND BACK

SPECIFICATIONS:

- 19 1/2"D X 16"W X 31 1/2"H
- 18 1/2" SEAT HEIGHT
- RUBBER CUSHION NYLON GLIDES

FINISHES:

[A] SEAT/ BACK PLASTIC: TRICORN BLACK

[B] WOOD FINISH : PILSNER [PIL]



A4.CH-3**MANUFACTURER:** JSI**PRODUCT NAME:** KNOX ARMLESS STACK CHAIR**SPECIFICATIONS:**

- 21 1/4"D X 21 1/4"W X 32"H
- ALL PLASTIC
- STACKS 6 CHAIRS HIGH
- 18 1/2" SEAT HEIGHT
- GLIDES
- STANDARD HANDLE CUT

FINISHES:[A] PLASTIC: TO BE SELECTED FROM
MANUFACTURE'S FULL RANGE

[B] FRAME METAL: PEWTER (PEW)

**A4.CH-4****MANUFACTURER:** JSI**PRODUCT NAME:** MADISON GUEST CHAIR**SPECIFICATIONS:**

- 25 1/4"D X 24 1/2"W X 30"H
- 19" SEAT HEIGHT
- ARM HEIGHT: 25"
- PLAIN SEAT AND BACK
- RUBBER CUSHION NYLON GLIDES

FINISHES:[A] UPHOLSTERY: MOMENTUM, TERRA LEATHER,
SIENNA

[B] WOOD BASE/ ARM: CASK (CSK)



A5.CH-1**MANUFACTURER:** OFS**PRODUCT NAME:** SEEK LOUNGE CHAIR**SPECIFICATIONS:**

- 29"W X 44"H X 34"D
- 20" SEAT HEIGHT
- 26" ARM HEIGHT
- TAPERED EUROPEAN BEECH LEGS
- UPHOLSTERED ARMS, SEAT, AND BACK

FINISHES:

[A] UPHOLSTERY: OFS, HALO, ECHO

[B] FINISH, VENEER/ WOOD: EBONY (EBY-B)

**A5.CH-2****MANUFACTURER:** OFS**PRODUCT NAME:** SKARA LOUNGE HIGH BACK
SWIVEL**SPECIFICATIONS:**

- 24 1/2"W X 40 1/2"H X 26 3/4"D
- 16 1/4" SEAT HEIGHT
- RETURN TO CENTER SWIVEL COLUMN ON
4-PRONG GLIDE METAL BASE

FINISHES:[A] UPHOLSTERY: MOMENTUM, TERRA LEATHER,
STORM

[B] BASE METAL: POLISHED CHROME



A5.CH-3**MANUFACTURER:** OFS**PRODUCT NAME:** SKARA SWIVEL OTTOMAN**SPECIFICATIONS:**

- 24 1/2"W X 21 1/4"H X 18 1/4"D
- 16 1/2" SEAT HEIGHT
- RETURN TO CENTER SWIVEL COLUMN ON 4-PRONG GLIDE METAL BASE

FINISHES:

[A] UPHOLSTERY: MOMENTUM, TERRA LEATHER, STORM

[B] BASE METAL: POLISHED CHROME

**A6.CH-1****MANUFACTURER:** SIT ON IT SEATING**PRODUCT NAME:** HEXI TASK CHAIR WITH GLIDES**SPECIFICATIONS:**

- MID BACK
- SEAT: UPHOLSTERED
- BACK: MESH
- ARMLESS

FINISHES:

[A] BACK MESH: TO BE SELECTED FROM MANUFACTURE'S FULL RANGE (GRADE 2)

[B] SEAT UPHOLSTERY: TO BE SELECTED FROM MANUFACTURE'S FULL RANGE (GRADE 2)

[B] FRAME: BLACK



A5.CH-2**MANUFACTURER:** SIT ON IT SEATING**PRODUCT NAME:** HEXI TASK STOOL WITH GLIDES**SPECIFICATIONS:**

- MID BACK
- SEAT: UPHOLSTERED
- BACK: MESH
- ARMLESS

FINISHES:

[A] BACK MESH: TO BE SELECTED FROM MANUFACTURE'S FULL RANGE (GRADE 2)

[B] SEAT UPHOLSTERY: TO BE SELECTED FROM MANUFACTURE'S FULL RANGE (GRADE 2)

[B] FRAME: BLACK

**A6.CH-3****MANUFACTURER:** SIT ON IT SEATING**PRODUCT NAME:** SPROUT MULTI-PURPOSE STACKING CHAIR**SPECIFICATIONS:**

- 21 1/4"W X 22"D X 32"H
- WIRE ROD
- PLASTIC SEAT AND BACK
- STACKS 10 CHAIRS HIGH
- ARMLESS
- ERGONOMIC CONTOURING 10 DEGREE FLEXIBLE

BACK

- 300 POUND WEIGHT CAPACITY
- NO GLIDE

FINISHES:

[A] PLASTIC: SLATE

[B] FRAME METAL: CHROME



A7.CH-1._**MANUFACTURER:** SMITH SYSTEM**PRODUCT NAME:** GROOVE STACK CHAIR**SPECIFICATIONS:**

- PLASTIC SHELL
- METAL 4 LEG, 14-GAUGE WELDED STEEL
- 18" SEAT HEIGHT
- STACKS 4 CHAIRS HIGH
- GLIDES FOR LVT FLOORING

FINISHES:

[A] LEGS: PLATINUM

[B] SHELL: SEE CHART BELOW

TAG

CH-1.1

CH-1.2

CH-1.3

CH-1.4

CH-1.5

TYPE

SHELL COLOR PERSIAN BLUE

SHELL COLOR ORANGE

SHELL COLOR PURPLE

SHELL COLOR FOREST GREEN

SHELL COLOR CHARCOAL

**A7.CH-2._****MANUFACTURER:** SMITH SYSTEM**PRODUCT NAME:** GROOVE STACK CHAIR**SPECIFICATIONS:**

- PLASTIC SHELL
- METAL 4 LEG, 14-GAUGE WELDED STEEL
- 14" SEAT HEIGHT
- STACKS 4 CHAIRS HIGH
- GLIDES FOR LVT FLOORING

FINISHES:

[A] LEGS: PLATINUM

[B] SHELL: SEE CHART BELOW

TAG

CH-2.1

CH-2.2

CH-2.3

CH-2.4

TYPE

SHELL COLOR PERSIAN BLUE

SHELL COLOR ORANGE

SHELL COLOR PURPLE

SHELL COLOR FOREST GREEN



TAG ID

A7.CH-3

MANUFACTURER: SMITH SYSTEM

PRODUCT NAME: NUMBERS ADJUSTABLE HEIGHT
CHAIR

SPECIFICATIONS:

- PLASTIC TEXTURED SHELL
- GLIDES
- ADJUSTABLE SEAT HEIGHT 16"-21"

FINISHES:

[A]: SHELL PLASTIC: CERULEAN

[B] FRAME/BASE: BLACK



TAG ID

A8.CH-1

MANUFACTURER: TMC

PRODUCT NAME: DOTTIE WOOD CHAIR

SPECIFICATIONS:

- 18"W X 16 1/2"D X 25 1/8"H
- 14" SEAT HEIGHT
- STACKS 3 CHAIRS HIGH

FINISHES:

[A] SHELL/BASE WOOD: CLEAR 01 MAPLE



BID CATEGORY: TABLES

B1 - JSI

B2 - MEDIA TECHNOLOGIES

B3 - HON

B4 - OFS

B5 - TMC

B6 - VERSTEEL



B1.TB-1**MANUFACTURER:** JSI**PRODUCT NAME:** ARWYN**SPECIFICATIONS:**

- ROUND END TABLE - METAL LEGS
- 22"DIA. X 21"H

FINISHES:

[A] TOP LAMINATE: CASK [CSK]

[B] BASE METAL: CHROME [CHR]

**B1.TB-2****MANUFACTURER:** JSI**PRODUCT NAME:** BROGAN**SPECIFICATIONS:**

- RACETRACK TOP: 84"L X 42"D
- 2 CABRIOLE BASE: 33"W

FINISHES:

[A] TOP + BASE LAMINATE: CASK [CSK]



B1.TB-3**MANUFACTURER:** JSI**PRODUCT NAME:** DRAFT**SPECIFICATIONS:**

- 72"W X 36"D X 30"H
- 1 3/16" THICK TABLE TOP
- GLIDE

FINISHES:

[A] SOLID WOOD- BUTCHER BLOCK: CLEAR MAPLE [CLM]

[B] METAL FRAME FINISH: MATTE BLACK [MBK]

**B1.TB-4****MANUFACTURER:** JSI**PRODUCT NAME:** NOSH**SPECIFICATIONS:**

- SQUIRCLE TOP: 36"DIA. X 29"H
- X-BASE
- EASED EDGE (R3) PVC

FINISHES:

[A] TOP LAMINATE: BRIDAL BLANCO (BBL)

[B] BASE METAL: PEWTER (PEW)



B1.TB-5**MANUFACTURER:** JSI**PRODUCT NAME:** PROST**SPECIFICATIONS:**

- CYLINDER COLUMN TABLE WITH LEGS
- 24"DIA. X 18"H
- 3" METAL LEGS

FINISHES:

[A] TOP LAMINATE: UMBER (UMB)

[B] LEGS: GOLD (GLD)

**B2.TB-1****MANUFACTURER:** MEDIA TECHNOLOGIES**PRODUCT NAME:** WTC PANEL TABLE**SPECIFICATIONS:**


- WOOD PANEL END FRAMES WITH INTERMEDIATE FRAME
- 3MM PVC EDGES
- 107"W X 24"D X 29"H

FINISHES:

[A] LAMINATE TOP AND SIDE PANELS: WILSONART, CATALINA 13092-60 MATTE FINISH

[B] BASE: BLACK 912

[C] PVC: CATALINA C500195



B2.TB-2**MANUFACTURER:** MEDIA TECHNOLOGIES**PRODUCT NAME:** WTC PANEL TABLE**SPECIFICATIONS:**


- WOOD PANEL END FRAMES WITH INTERMEDIATE FRAME
- 3MM PVC EDGES
- 107"W X 24"D X CUSTOM 34"H

FINISHES:

[A] LAMINATE TOP AND SIDE PANELS: TO BE SELECTED FROM MANUFACTURE'S STANDARD RANGE

[B] BASE: TO BE SELECTED FROM MANUFACTURE'S GRADE 1 POWDER COAT

[C] PVC: TO BE SELECTED FROM MANUFACTURE'S STANDARD RANGE

**B2.TB-3****MANUFACTURER:** MEDIA TECHNOLOGIES**PRODUCT NAME:** WTC PANEL TABLE**SPECIFICATIONS:**


- WOOD PANEL END FRAMES WITH INTERMEDIATE FRAME
- 3MM PVC EDGES
- 72"W X 24"D X CUSTOM 34"H

FINISHES:

[A] LAMINATE TOP AND SIDE PANELS: WILSONART, HANDSPUN PEARL 5033-38

[B] BASE: SILVER 809

[C] PVC: TO BE SELECTED FROM MANUFACTURE'S STANDARD RANGE



B3.TB-1**MANUFACTURER:** HON**PRODUCT NAME:** BETWEEN TABLE**SPECIFICATIONS:**

- 30" SQUARE TOP
- SEATED-HEIGHT X-BASE FOR SUPPORT FOR 30" TOP

FINISHES:

[A] TOP LAMINATE: HANDSPUN DOVE (LAHD)

[B] BASE PAINTED: TEXTURED CHARCOAL (P7A)

**B4.TB-1****MANUFACTURER:** OFS**PRODUCT NAME:** DENRO**SPECIFICATIONS:**

- 10"DIA. X 20"H

FINISHES:

[A] WOOD: SASSAFRASS



B4.TB-2**MANUFACTURER:** OFS**PRODUCT NAME:** EMBRACE- OCCASIONAL**SPECIFICATIONS:**

- 18"DIA. X 23"H

FINISHES:

[A] STRAIGHT GRAIN HPL TOP: TO BE SELECTED
FROM MANUFACTURE'S FULL RANGE

[B] BASE FINISH: TO BE SELECTED FROM
MANUFACTURE'S FULL RANGE

**B5.TB-1****MANUFACTURER:** TMC**PRODUCT NAME:** PLOVER OCCASIONAL TABLE**SPECIFICATIONS:**

- 36"DIA. X 24"H
- LAMINATE TOP
- EDGE STYLES: #16, 3MM PVC

FINISHES:

[A] TOP LAMINATE: WILSONART, RAW COTTON 4987-38

[B] BASE: CLEAR 01 MAPLE

[C] EDGE: GREY PVC



B6.TB-1**MANUFACTURER:** VERSTEEL**PRODUCT NAME:** BRATTICE**SPECIFICATIONS:**

- 60"L X 30"D
- ADJUSTABLE HEIGHT 26 3/4" X 29" X 32" WITH PNEUMATIC HANDWHEEL
- RECTANGULAR FLIP TOP-NESTING
- LOCKING CASTERS FOR LVT FLOORING

FINISHES:

[A] TOP LAMINATE: WILSONART, 4947-38 RAW COTTON

[B] POWDER COAT LEG: ANTHRACITE PAINT

[C] EDGE T-MOLD: NIMBUS

**B6.TB-2****MANUFACTURER:** VERSTEEL**PRODUCT NAME:** BRATTICE**SPECIFICATIONS:**

- 60"L X 24"D
- RECTANGULAR FLIP TOP-NESTING
- LOCKING CASTERS FOR CARPET FLOORING

FINISHES:

[A] TOP LAMINATE: WILSONART, 4947-38 RAW COTTON

[B] POWDER COAT LEG: LOG COLOR, ANTHRACITE PAINT

[C] EDGE T-MOLD: NIMBUS



BID CATEGORY: STORAGE

C1 - HON

C2 - JSI

C3 - TMC

C4 - DEMCO



C1.STG-1**MANUFACTURER:** HON**PRODUCT NAME:** STORYLINE**SPECIFICATIONS:**

- SINGLE-SIDED LINEAR BOOKCASE 15"D X 60"W
- 3-SHELF 42"H
- LOCKING CASTERS

FINISHES:

[A] LAMINATE: NATURAL MAPLE (D)

[B] PAINT: (LOFT)


**C2.STG-1****MANUFACTURER:** JSI**PRODUCT NAME:** ANTHOLOGY**SPECIFICATIONS:**

- LOW HEIGHT CREDENZA
- 1 ADJUSTABLE SHELF PER COMPARTMENT
- 60"W X 20"D X 23 15/16"H
- LOCKING PER DOOR SET
- TWO GROMMETS

FINISHES:

[A] CASE LAMINATE: CASK (CSK)

[B] GROMMETS: MATTE BLACK (MBK)



TAG ID

C3.STG-1

MANUFACTURER: TMC

PRODUCT NAME: BOOK BINS, LINEAR DOUBLE-FACED

SPECIFICATIONS:

- 60"L X 32 3/4"D X 26 3/4"H
- 3" DIA. LOCKING CASTERS
- NO CUTOUT

FINISHES:

[A] WOOD FINISH: CLEAR 01



TAG ID

C4.STG-1

MANUFACTURER: DEMCO


PRODUCT NAME: MOBILE ISLAND BOOK DISPLAY

SPECIFICATIONS:

- 60"W X 24"D X 48"H
- 8 SHELVES, 6 ADJUST IN 1 1/4" INCREMENTS; 4 ON EACH SIDE, 11" DEEP
- 24" SLAT WALL END PANELS
- 4 CONCEALED CASTERS

FINISHES:

[A] LAMINATE: CASTLE OAK



BID CATEGORY: WORKSTATIONS

D1 - PRIVATE OFFICE WORKSTATION

D2 - FULL TIME WORKSTATIONS

D3 - PART TIME WORKSTATIONS



WORKSTATIONS// SPECIFICATIONS

OFFICE 220 (D1.WS-1):

BASIS OF DESIGN, HON CONCINNITY

- BULLET PENINSULA WITH END PANEL, 66"W X 30"D X 29 1/2"H
- SUPPORT COLUMN FOR BULLET AND JETTY PENINSULAS, 3"DIA. COLOR: SILVER
- WALL MOUNT STORAGE, LAMINATE LOCKING DOORS, 60"W X 15"D X 28 1/2"H
- TACKBOARDS FOR USE WITH WALL MOUNTED STORAGE, 39"W - FOR 42"W, 18"H
- WARDROBE/ STORAGE CABINET, LAMINATE DOOR - 18"W X 24"D X 78 1/8"H, HINGED LEFT
- RECTANGLE WORKSURFACE, 84"W X 24"D
- RECTANGLE WORKSURFACE, 42"W X 24"D
- LAMINATE L-SHAPED END PANELS - FOR 29 1/2"H, 15 3/4"W X 30"D X 28 1/2"H, RIGHT
- LATERAL FILE PEDESTAL, 30"W X 23 1/8"D X 28 1/2"H
- BOX/ BOX/ FILE PEDESTAL, 15 3/4"W X 23 1/8"D X 28 1/2"H
- EDGE PROFILE: T-MOLD, COLOR TO MATCH LAMINATE
- HANDLE STYLE: CANOPY PULL, COLOR SATIN
- TFL IS ACCEPTABLE ON STORAGE
- HPL IS REQUIRED ON WORKSURFACES

FULL TIME WORKSTATIONS (D2.WS-1):

BASIS OF DESIGN, HON VOI

- RECTANGLE WORKSURFACES, 48"W X 24"D
- O-LEG SUPPORT FOR WORKSURFACES, 24"D X 28 1/2" H
- PERSONAL STORAGE TOWER, 24"W X 24"D X 65"H
- ABOVE/BELOW FABRIC SCREEN, 72"W X 35"H
- ABOVE/BELOW FABRIC SCREEN, 48"W X 35"H
- EDGEBANDING TO MATCH LAMINATE
- PULLS AND FEET: COLOR SILVER

PART TIME WORKSTATIONS (D3.WS-1):

BASIS OF DESIGN, HON EMPOWER

- SINGLE DEPTH U-LEG (BOX OF 2), 24"D FOR USE WITH 24"D WORKSURFACES
- SINGLE DEPTH SHARED U-LEG (SINGLES), FOR 18"D FOR USE WITH 24"D WORKSURFACES
- 24"D WORKSURFACE WITH EDGE BAND, 48"W X 24"D
- FABRIC EMPOWER SHARED SCREENS FOR FIXED HEIGHT APPLICATIONS, 13"H X 48"W
- EACH WORKSURFACE TO HAVE 1 GROMMET CENTERED IN TOP

EACH FULL TIME AND PART TIME WORKSTATION TO HAVE:

BASIS OF DESIGN, HON FUSE MOBILE PEDESTAL (NOTE SIMILAR TO BASIS OF DESIGN LIKE ABOVE)

- 6" BOX/ 12" FILE, NO TRAY, 15"W X 23"D X 20 3/8"H
- HANDLE STYLE: LINEAR PULL, COLOR SILVER

GENERAL NOTES

- LOCKABLE STORAGE. EACH STATION TO BE KEYED ALIKE.
- INCLUDE ALL BRACKETS AND/OR SUPPORTS NECESSARY FOR A COMPLETE INSTALLATION.

WORKSTATIONS // FINISHES

FINISH APPLICATION

HON

[A]	PAINTED FINISH (LEGS, SUPPORT)	CHARCOAL (S)
[B]	PAINTED FINISH (STORAGE)	LOFT (LOFT)
[C]	TACKBOARD FABRIC	APPOINT, NIMBUS (APN16)
[D]	HIGH-PRESSURE LAMINATE FOR WORK SURFACES WITH MATCHING 3MM EDGE BANDING AND SQUARE EDGE PROFILE	WILSONART, HANDSPUN DOVE (LAHD)
[E]	HIGH-PRESSURE LAMINATE (STORAGE)	LOFT


D1.WS-1



D2.WS-1



D3.WS-1



FLOOR PLAN: NOT TO SCALE



PERSPECTIVE

BID CATEGORY: MISCELLANEOUS

E1 - DEMCO



MANUFACTURER: DEMCO

PRODUCT NAME: KINGSLEY DURALIGHT UNDER
COUNTER CART

SPECIFICATIONS:

- 25 1/2"H X 25 7/16"W X 28 5/8"D
- DEPRESSIBLE, SPRING-LOADED ALUMINUM
FLOAT TRAY RAISES AND LOWERS AUTOMATICALLY
- 1/2" THICK FELT PAD ABSORBS SHOCK AND
KEEPS MATERIALS FROM FALLING DOWN UNDER
TRAY
- 250 BOOK CAPACITY/ 540 MEDIA CAPACITY
- NON-RUSTING ALUMINUM ALLOY CONSTRUCTION

FINISHES:

[A]NATURAL ALUMINUM



BID CATEGORY: CUSTOM COTTAGES

F1 - CUSTOM COTTAGES



CUSTOM COTTAGES // SPECIFICATIONS

BASIS OF DESIGN/ INSPIRATION:

- TMC POTTING SHED: CONSTRUCTED OF MAPLE VENEER SIDES AND ROOF
- TMC WALL APPLIQUES, ON THE BLOCK: CONSTRUCTED OF MAPLE VENEER



TMC WALL APPLIQUES




TMC POTTING SHED



TMC WALL APPLIQUES


CUSTOM COTTAGES // FINISHES

FINISH APPLICATION			COLOR KEY
[A]	WOOD FINISH	TMC CLEAR 01	
[B]	WOOD FINISH	TMC BARRACUDA BLUE 120	
[C]	WOOD FINISH	TMC LIME 80	
[D]	WOOD FINISH	TMC CHICORY 108	
[E]	READING NOOK FLOOR	FORBO MARMOLEUM REAL 3137 SLATE GREY	




CUSTOM COTTAGE TYPES

NOTE: REFER TO COLOR KEY FOR FINISHES




FLOOR PLAN: 1/4" = 1'-0"

NOTE: BACK SIDE OF COTTAGES AND COTTAGE PANELS ARE TO BE UNFINISHED ALONG PARTIAL HEIGHT WALL



ELEVATION 1: 1/4" = 1'-0"



ELEVATION 2: 1/4" = 1'-0"



JEFFERSONVILLE LIBRARY- FURNITURE REPLACEMENT PROJECT

JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY

211 E. COURT AVENUE
JEFFERSONVILLE, IN 47130

DESIGN TEAM

ARCHITECT/ENGINEER



320 PEARL ST. SUITE 100
NEW ALBANY, INDIANA 47150
PHONE: 812.282.9554

DRAWING INDEX

GENERAL

G 001 COVER SHEET

FURNITURE

F 101 OVERALL FIRST FLOOR PLAN
F 101.A ENLARGED FIRST FLOOR FURNITURE PLANS
F 102 OVERALL SECOND FLOOR FURNITURE PLAN

OWNER ADDRESS

JEFFERSONVILLE TOWNSHIP PUBLIC LIBRARY
211 E. COURT AVENUE
JEFFERSONVILLE, IN 47130

BIDDING 07-14-2026
ISSUED FOR DATE

PROJECT TITLE
JEFFERSONVILLE
LIBRARY- FURNITURE
REPLACEMENT
PROJECT

OWNER
JEFFERSONVILLE
TOWNSHIP PUBLIC
LIBRARY


ADDRESS
211 E. COURT AVENUE
JEFFERSONVILLE, IN
47130

SHEET TITLE
COVER SHEET

DATE
JULY 9, 2026
SHEET NUMBER
G 001
PROJECT NUMBER
25-196.000

ALL SHEETS INTENDED FOR COLOR PLOT. VERIFY BLACK
AND WHITE PLOT FOR INFORMATION INTEGRITY

ITEM TAG LEGEND



GENERAL NOTE - FURNITURE

- 1 FURNITURE DEALER IS RESPONSIBLE FOR PERFORMING ANY NEEDED FIELD MEASUREMENTS PRIOR TO ORDER.
- 2 ALL LARGE ITEMS SHALL BE REVIEWED WITH CLIENT AND GENERAL CONTRACTOR FOR CLEARANCE COORDINATION OR PIECE SIZE OPTIONING PRIOR TO ORDER.
- 3 FINAL AUDITS AND INSTALLATION DRAWINGS ARE THE RESPONSIBILITY OF THE FURNITURE DEALER.
- 4 ALL SINGLE-SIDED SHELVING TO BE ANCHORED TO WALL. CONTRACTOR TO PROVIDE ALL HARDWARE FOR A COMPLETE INSTALLATION.
- 5 ALL DOUBLE-SIDED SHELVING TO BE ANCHORED TO CONCRETE FLOOR. CONTRACTOR TO PROVIDE ALL HARDWARE FOR A COMPLETE INSTALLATION.
- 6 CONTRACTOR TO PROVIDE CANOPY BRACKETS FOR LAMINATE TOPS INCLUDING HARDWARE.

BIDDING 07-09-2026
ISSUED FOR DATE

PROJECT TITLE
JEFFERSONVILLE
LIBRARY- FURNITURE
REPLACEMENT
PROJECT


OWNER
JEFFERSONVILLE
TOWNSHIP PUBLIC
LIBRARY

ADDRESS
211 E. COURT AVENUE
JEFFERSONVILLE, IN
47130

SEAL

SHEET TITLE
OVERALL FIRST
FLOOR PLAN

DATE
JULY 9, 2026
SHEET NUMBER
F 101
PROJECT NUMBER
25-196.000
ALL SHEETS INTENDED FOR COLOR PLOT. VERIFY BLACK
AND WHITE PLOT FOR INFORMATION INTEGRITY



OVERALL FIRST FLOOR PLAN
1/8" = 1'-0"

ITEM TAG LEGEND

The diagram illustrates the components of an item tag. The tag is represented as 'XX-CH-X (X)'. Arrows point from the text labels to the corresponding parts of the tag:

- BID CATEGORY** points to the first 'XX'.
- ITEM TYPE** points to 'CH'.
- ITEM NO. (WITHIN BID CATEGORY)** points to the second 'X'.
- QUANTITY IF OVER (1)** points to '(X)'.

GENERAL NOTE - FURNITURE

- 1 FURNITURE DEALER IS RESPONSIBLE FOR PERFORMING ANY NEEDED FIELD MEASUREMENTS PRIOR TO ORDER.
- 2 ALL LARGE ITEMS SHALL BE REVIEWED WITH CLIENT AND GENERAL CONTRACTOR FOR CLEARANCE COORDINATION OR PIECE SIZE OPTIONING PRIOR TO ORDER.
- 3 FINAL AUDITS AND INSTALLATION DRAWINGS ARE THE RESPONSIBILITY OF THE FURNITURE DEALER.
- 4 ALL SINGLE-SIDED SHELVING TO BE ANCHORED TO WALL. CONTRACTOR TO PROVIDE ALL HARDWARE FOR A COMPLETE INSTALLATION.
- 5 ALL DOUBLE-SIDED SHELVING TO BE ANCHORED TO CONCRETE FLOOR. CONTRACTOR TO PROVIDE ALL HARDWARE FOR A COMPLETE INSTALLATION.
- 6 CONTRACTOR TO PROVIDE CANOPY BRACKETS FOR LAMINATE TOPS INCLUDING HARDWARE.

ISSUED FOR DATE

PROJECT TITLE
JEFFERSONVILLE
LIBRARY- FURNITURE
REPLACEMENT
PROJECT

OWNER
JEFFERSONVILLE
TOWNSHIP PUBLIC
LIBRARY


ADDRESS
211 E. COURT AVENUE
JEFFERSONVILLE, IN
47130

SEAL


SHEET TITLE
ENLARGED FIRST
FLOOR FURNITURE
PLANS

DATE
JULY 9, 2026
SHEET NUMBER


F 101.A
PROJECT NUMBER
25-196.000
ALL SHEETS INTENDED FOR COLOR PLOT. VERIFY BLACK
AND WHITE PLOT FOR INFORMATION INTEGRITY



1
F101.A
ENLARGED CENTER MEETING ROOM 121 FURNITURE PLAN
1/4" = 1'-0"




2
F101.A
ENLARGED CIRCULATION DESK 101 FURNITURE PLAN
1/4" = 1'-0"



3
F101.A
ENLARGED NORTH MEETING ROOM 103 FURNITURE PLAN
1/4" = 1'-0"

ITEM TAG LEGEND



GENERAL NOTE - FURNITURE

- 1 FURNITURE DEALER IS RESPONSIBLE FOR PERFORMING ANY NEEDED FIELD MEASUREMENTS PRIOR TO ORDER.
- 2 ALL LARGE ITEMS SHALL BE REVIEWED WITH CLIENT AND GENERAL CONTRACTOR FOR CLEARANCE, COORDINATION OR PIECE SIZE OPTIONING PRIOR TO ORDER.
- 3 FINAL AUDITS AND INSTALLATION DRAWINGS ARE THE RESPONSIBILITY OF THE FURNITURE DEALER.
- 4 ALL SINGLE-SIDED SHELVING TO BE ANCHORED TO WALL. CONTRACTOR TO PROVIDE ALL HARDWARE FOR A COMPLETE INSTALLATION.
- 5 ALL DOUBLE-SIDED SHELVING TO BE ANCHORED TO CONCRETE FLOOR. CONTRACTOR TO PROVIDE ALL HARDWARE FOR A COMPLETE INSTALLATION.
- 6 CONTRACTOR TO PROVIDE CANOPY BRACKETS FOR LAMINATE TOPS INCLUDING HARDWARE.

SUED FOR	DATE
----------	------

PROJECT TITLE
FFERSONVILLE
BRARY- FURNITURE
EPLACEMENT
ROJECT

NER
FFERSONVILLE
OWNSHIP PUBLIC
BRARY

ADDRESS
1 E. COURT AVENUE
EFFERSONVILLE, IN
130


AL

PRELIMINARY
NOT FOR CONSTRUCTION

HEET TITLE
OVERALL SECOND
FLOOR FURNITURE
PLAN

DATE
JULY 9, 2026
SHEET NUMBER

102
JECT NUMBER
-196.000
SHEETS INTENDED FOR COLOR PLOT. VERIFY BLACK.



OVERALL SECOND FLOOR FURNITURE PLAN

$1/8'' = 1'-0''$